


14oraitaliana

Spirito Eclettico
Eclectic Spirit



XO



XO è un progetto che ruota intorno ai concetti di campo pieno e spazio negativo. Gli elementi ceramici sono stati concepiti dalla designer Valeria Lassalle (HBA) per giocare con l'interpretazione visiva dei pattern presentando una combinazione di forme moderne creata da due colori contrastanti.

Il numero di combinazioni e motivi è sostanzialmente infinita. Che si tratti di un mix di pattern o della ripetizione di un singolo motivo, ognuno è libero di sperimentare autonomamente e creare soluzioni sempre diverse individuando i propri campi pieni e i propri spazi negativi. Sul fondo bianco emergono campiture di colore geometriche ma irregolari che evocano, in chiave moderna, tracce di un passato stratificato.

La collezione, costituita da diciotto articoli commerciali - utilizzabili autonomamente o in relazione - massimizza le possibilità del progettista che può inventare superfici sempre eterogenee spaziando da soluzioni sobrie e rigorose a esiti più complessi ed elaborati.

A vision of Field & Negative Space.

The tiles were conceptualized by the designer Valeria Lassalle (HBA) to play with the visual interpretation of pattern. Presenting a combination of modern shapes created from two contrasting colors, the number of pattern combination are to be endless. Whether it is mixing multiple patterns in a space or utilizing one pattern in repetition, each individual is left to experience for themselves which tone is field and which is the negative.

The collection is made up of 18 pieces which can be used independently or in connection with one other.

This maximizes the possibilities for the designer, who can create heterogeneous surfaces, ranging from simple yet thoughtful solutions to more complex, elaborate outcomes.

On a white body background, irregular geometric colors emerge which evoke everything that is modern with traces of a stratified past.

XO
SEPARATI



20x20 - 8"x8"

Amaranto



DISTANTI
0142013



DIVERSI
0142014



SEPARATI
0142011



UNITI
0142012



INCROCI
0142015



INCONTRI
0142016

Fango



DISTANTI
0142026



DIVERSI
0142027



SEPARATI
0142024



UNITI
0142025



INCROCI
0142029



INCONTRI
0142028

Oceano



DISTANTI
0142020



DIVERSI
0142021



SEPARATI
0142018



UNITI
0142019



INCROCI
0142023



INCONTRI
0142022


XO

GRES PORCELLANATO - NATURALE RETTIFICATO
PORCELAIN STONEWARE - NATURAL RECTIFIED


spessore 1cm
thickness 0,4"




20x20 - 8"x8"



BIANCA
0144486



AMARANTO
0144106



FANGO
0144108








OCEANO
0144107





DISTANTI

INCONTRI



SEPARATI





ngo




UNITI
















INCROCI



DIVERSI



Dati Tecnici / Technical Info

NORMA STANDARD	CARATTERISTICHE FEATURES	VALORE PRESCRITTO VALUE REQUIRED	
	DIMENSIONI lunghezza e larghezza spessore rettilinearità degli spigoli ortogonalità planarità	SIZES length and width thickness straightness of edges wedging fiatness	<p>± 0,6%</p> <p>± 5%</p> <p>± 0,5%</p> <p>± 0,6%</p> <p>± 0,5%</p>
	ISO 10545.2		Conforme In conformity with standard
	Assorbimento d'acqua Water absorption		≤ 0,5%
	ISO 10545.3		0,04%
	Resistenza agli sbalzi termici Thermal shocks resistant		≤ 0,5%
	ISO 10545.9		0,04%
	Resistenza agli sbalzi termici Thermal shocks resistant		Resistente Resistant no samples must show visible defects
	ASTM C484		Resiste Resistant Unaffected
	Resistenza al gelo Frost resistance		Resistente Resistant
	ISO 10545.12		Unaffected
	Resistenza al gelo Frost resistance		Resiste Resistant Unaffected
	ASTM C1026		Unaffected
	Resistenza agli attacchi chimici Resistance to chemicals attacks		GA GLA GHA
	ISO 10545.12		Resiste Resistant Unaffected
	Resistenza agli attacchi chimici Resistance to chemicals attacks		GA GLA GHA
	ASTM C1026		Unaffected
	Resistenza all'abrasione Resistance to abrasion		-
	ISO 10545.4		Classe PEI 4
	Resistenza all'abrasione Resistance to abrasion		-
	ASTM C648		Classe PEI 4
	Resistenza allo scivolamento Skid resistance		-
	DIN 51130		R10
	Resistenza allo scivolamento Skid resistance		-
	DIN 51130		R10
	DCoF (Bot 3.000) ANSI A 137.1:2012		≥ 0,42 wet
	ANSI A 137.1:2012		≥ 0,77 wet
	Resistenza alle macchie Resistance to stains		Valore minimo Min. value 3
	ISO 10545.14		5

14oraitaliana
TARGET GROUP

VIA DEL CROCIALE, 69
41042 FIORANO MODENESE_MO
ITALY

Phone +39 0536 405150
14oraitaliana.com